

# ***GalMAX*** FENCING

***MORE GAL - MORE LIFE!***

**PRODUCT CATALOGUE 2017**

***HEAVILY GALVANISED  
FOR EXTENDED LIFE***

***Phone 1300 384 981***



Manufactured by  
**Austral Wire Products**  
Sydney, Australia

Effective 18th April 2017



# GALMAX FENCING



**MORE GAL, MORE LIFE!**

For over 20 years Austral Wire Products, an 100% Australian owned company, has manufactured a diverse range of rural fencing products and has earned a reputation of being a quality focused and reliable supplier to the rural industry. We are proud to present the GalMAX Fencing product range, which includes:

- Pro-Tough
- Max-Loc
- Hinged Joint
- Barbed Wire
- Wire Netting
- Fencing Wire
- Trellis Wire

## CONTENTS

PRO-TOUGH	3 - 4
PRO-TOUGH LINE WIRE SPACINGS	5
MAX-LOC TRADITIONAL	6
MAX-LOC PREMIUM	7
MAX-LOC HORSE FENCE	8
MAX-LOC FERAL BLOC	9
MAX-LOC WIRE SPACINGS	10
HINGED JOINT - TRADITIONAL	11
HINGED JOINT - PREMIUM	12
WIRE NETTING	13
BARBED WIRE	14
FENCING / TRELLIS WIRE	15

GalMAX Fencing is a premium range of heavily galvanised fencing specially designed to withstand the harsh conditions of the Australian rural landscape.

Manufactured in Australia, GalMAX Fencing fully complies with Australian Standards AS2423-2002. GalMAX Fencing heavily galvanised wire products have up to 5 times coating thickness than that of standard galvanised wire and all GalMAX Fencing products are presented with quality and highly-visible labelling.

### Production Equipment

Austral Wire Products uses modern specialized world class high production machinery that features the latest and best technology available for the manufacture of rural wire fencing products.

### Testing

State of the art testing equipment in our laboratory is used to ensure a consistent and accurate tensility of every coil of wire used in our manufacturing process. This quality procedure, combined with close attention to detail in the manufacturing process, guarantees GalMAX FENCING supplies a superior quality long-lasting fence suited to the tough Australian conditions.

### Availability

Austral Wire Products solely distributes the GalMAX FENCING products through Australian re-sellers. GalMAX FENCING does not supply to non-bonafide resellers.



## PRO-TOUGH FIELD FENCE ULTIMATE & FERAL BLOC

# PRO TOUGH<sup>®</sup>

## BRUTE STRENGTH



### THE ULTIMATE FENCE

One of the toughest wire fences Australia has ever seen.

The all-new ProTough fence range supplied by GalMAX comes with the renowned strength of the Fixed Knot construction, together with the heavier wires, to make this one of the toughest wire fences.

*The distinctive features of the Pro Tough fence include:*

- The high tensile top and bottom wires are 3mm thick, combined with 2.6mm high tensile picket wires and 2.5mm high tensile line wires – the strongest combination of wires supplied by GalMAX.
- Tension crimps in the line wires provide for greater expansion and contraction of the fence in extreme temperatures. This also allows for heavy impact from animals, resulting in a much more resilient fence that retains tension.
- The fixed knot is wrapped around both the line and picket wires, allowing for improved movement and better flow across undulating ground.
- The single vertical, high tensile picket wire adds a stiffness to the product, allowing fence posts to be spaced further apart.
- All wires are heavily galvanised for extended life.



Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.

**PROUDLY 100% AUSTRALIAN OWNED & MANUFACTURED**



## PRO-TOUGH FIELD FENCE ULTIMATE & FERAL BLOC

### PRO TOUGH

#### The **ULTIMATE** Exclusion Fence

The all-new ProTough fence range supplied by GalMAX comes with the renowned strength of the Fixed Knot construction, together with the heavier wires, to make this one of the toughest wire fences.

*All wires are heavily galvanised for extended life.*

#### PRO-TOUGH FIELD FENCE - ULTIMATE

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
350703	5 / 70 / 90	Sheep	500 m	134 kg	5 rolls
350705	6 / 70 / 30	Sheep, Lamb	200 m	82 kg	9 rolls
350710	6 / 90 / 30	Cattle	200 m	88 kg	9 rolls
350713	6 / 90 / 30	Cattle	400 m	175 kg	4 rolls
350715	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	200 m	97 kg	9 rolls
350720	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	400 m	195 kg	4 rolls
350740	8 / 90 / 30	Boundary, All Stock	200 m	107 kg	9 rolls
350745	8 / 90 / 30	Boundary, All Stock	400 m	215 kg	4 rolls
350735	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	100 m	74 kg	9 rolls
350736	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	250 m	186 kg	4 rolls

#### PRO-TOUGH FIELD FENCE - FERAL BLOC

*Australian First... ProTough knot with a hinged apron.*

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
350383	13 / 90 / 15	Wild Dogs, Pigs, Wallabies	100 m	105 kg	9 rolls
350584	13 / 90 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies	100 m	132 kg	9 rolls
350587	13 / 115 / 15	Wild Dogs, Pigs, Wallabies	100 m	112 kg	9 rolls
350588	13 / 115 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies	100 m	139 kg	9 rolls
350555	13 / 115 / 15	Wild Dogs, Pigs, Wallabies	250 m	280 kg	4 rolls
350560	13 / 115 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies	250 m	347 kg	4 rolls
350590	15 / 150 / 15	Wild Dogs, Pigs, Wallabies, Roos, Deer	100 m	133 kg	9 rolls
350591	15 / 150 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies, Roos, Deer	100 m	161 kg	9 rolls
350600	15 / 150 / 15	Wild Dogs, Pigs, Wallabies, Roos, Deer	250 m	335 kg	4 rolls
350605	15 / 150 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies, Roos, Deer	250 m	401 kg	4 rolls
350607	15 / 150 / 15 Plus Footer	Wild Dogs, Pigs, Wallabies, Roos, Deer	400 m	640 kg	1 rolls
350610	16 / 180 / 15	Wild Dogs, Pigs, Wallabies, Roos, Deer	200 m	296 kg	4 rolls
350615	16 / 180 / 15	Wild Dogs, Pigs, Wallabies, Roos, Deer	400 m	593 kg	1 rolls
350625	17 / 190 / 15	Wild Dogs, Pigs, Wallabies, Roos, Deer	100 m	158 kg	4 rolls



### The hinged apron


Existing fixed knot exclusion fences, with a forced apron effect, place increased stress on your fence posts. The ULTIMATE ProTough design includes the innovative hinged apron footer, which creates a true ground barrier that is built to handle under extreme pressure without placing unnecessary tension on your fence posts.




# PRO-TOUGH FIELD FENCE LINE WIRE SPACINGS





**PROTOUGH ULTIMATE - 7/90/30**  
Graduated Line Wire Spacings  
Purpose: *Sheep, Cattle, All Stock, Mixed Grazing*




**PROTOUGH ULTIMATE - 8/90/15**  
Graduated Line Wire Spacings  
Purpose: *Sheep, Cattle, Goats, Pigs*



**PROTOUGH FERAL BLOC - 15/150/15**  
WITH FOOTER/APRON  
Graduated Line Wire Spacings  
Purpose: *Wild Dogs, Pigs, Wallabies, Kangaroos, Deer*



**PROTOUGH FERAL BLOC - 16/180/15**  
Graduated Line Wire Spacings  
Purpose: *Wild Dogs, Pigs, Wallabies, Kangaroos, Deer*



Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZA 4534-2006.



## MAX-LOC FIELD FENCE TRADITIONAL

### MAX-LOC FIELD FENCE

Max-Loc Field Fence features a unique 'smooth knot' design. This knot is smooth either side of the fence - no sharp edges protrude to cause injury. One piece vertical pickets are tied to the line wires and crimped at the joints. The tightness of this knot crimp enhances the stiffness of the fence as it resists slippage along either picket or line wires. This tough, durable construction prevents the fence from buckling if impacted by larger animals, yet also provides extra rigidity and flexibility for installation over undulating land.

GalMAX Fencing Max-Loc Field Fencing range is supplied in 2.50mm high tensile heavily galvanised wire.

*All wires are heavily galvanised for extended life.*




#### MAX-LOC FIELD FENCE - TRADITIONAL

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300703	5 / 70 / 30	Sheep	200 m	61 kg	9 rolls
300705	6 / 70 / 30	Sheep, Lamb	200 m	71 kg	9 rolls
300710	6 / 90 / 30	Cattle	200 m	74 kg	9 rolls
300715	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	200 m	85 kg	9 rolls
300717	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	500 m	208 kg	4 rolls
300718	7 / 90 / 45	Sheep, Cattle, All Stock, Mixed Grazing	200 m	75 kg	9 rolls
300740	8 / 90 / 30	Boundary, All Stock	200 m	93 kg	9 rolls
300725	8 / 115 / 30	Sheep, Cattle, Goats	200 m	103 kg	9 rolls
300730	8 / 80 / 15	Sheep, Cattle, Goats, Pigs	100 m	61 kg	9 rolls
300735	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	100 m	64 kg	9 rolls
300737	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	200 m	128 kg	4 rolls
300720	8 / 115 / 15	Sheep, Cattle, Goats, Pigs, Dogs	100 m	70 kg	9 rolls
300701	11 / 142 / 15	All Stock	100 m	96 kg	9 rolls

#### SIZE DESCRIPTION EXAMPLE

7 / 90 / 30 = 7 horizontal (line) wires,  
90cm fence height  
30cm vertical (picket) wire spaces



“Unique smooth knot design”



## MAX-LOC FIELD FENCE PREMIUM

### MAX-LOC FIELD FENCE

The Galmax Max-Loc Premium range has the same features as Max-Loc Traditional with the additional strength of 2.80mm top and bottom line wires.

*All wires are heavily galvanised for extended life.*

#### MAX-LOC FIELD FENCE - PREMIUM

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300760	6 / 70 / 30	Sheep, Lamb	200 m	73 kg	9 rolls
300765	6 / 90 / 30	Cattle	200 m	76 kg	9 rolls
300770	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	200 m	87 kg	9 rolls
300773	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	500 m	217 kg	4 rolls
300774	7 / 90 / 45	Sheep, Cattle, All Stock, Mixed Grazing	500 m	194 kg	4 rolls
300780	8 / 90 / 30	Boundary, All Stock	200 m	95 kg	9 rolls
300750	8 / 90 / 30	Boundary, All Stock	500 m	237 kg	4 rolls
300775	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	100 m	66 kg	9 rolls
300777	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	200m	133 kg	4 rolls



#### SIZE DESCRIPTION EXAMPLE

7 / 90 / 30 = 7 horizontal (line) wires,  
90cm fence height  
30cm vertical (picket) wire spaces

Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.

**PROUDLY 100% AUSTRALIAN OWNED & MANUFACTURED**



# MAX-LOC FIELD FENCE HORSE FENCE

**MAX-LOC**  
FIELD FENCE



Max-Loc Horse Fence has a unique smooth knot design which helps prevent injury to valuable animals. Small aperture vertical mesh specifically designed to prevent horses from injury through stepping through or walking down the fence.

GalMAX Fencing Max-Loc Field Fencing range is supplied in 2.50mm high tensile heavily galvanised wire.

*All wires are heavily galvanised for extended life.*

## MAX-LOC FIELD FENCE - HORSE FENCE

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300560	10 / 90 / 5	Horse	50 m	60 kg	5 rolls
300565	13 / 122 / 5	Horse	50 m	88 kg	5 rolls
300570	16 / 150 / 5	Horse	30 m	66 kg	9 rolls
300575	19 / 183 / 5	Horse	30 m	79 kg	9 rolls

### SIZE DESCRIPTION EXAMPLE

13 / 122 / 5 = 13 horizontal (line) wires,  
122cm fence height  
5cm vertical (picket) wire spaces



Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZA 4534-2006.



# MAX-LOC FIELD FENCE FERAL BLOC

**MAX-LOC**  
FIELD FENCE



“ Unique smooth  
knot design ”

Max-Loc Feral Bloc pre-fabricated fence is offered in both a constant size mesh and graduated mesh spacings. Graduated mesh spacing prevent smaller animals penetrating the fence. Both style fences provide an impact resistant barricade against marsupials such as wallabies and kangaroos, also dogs, pigs and feral animals.

GalMAX Fencing Max-Loc Field Fencing range is supplied in 2.50mm high tensile heavily galvanised wire.

*All wires are heavily galvanised for extended life.*



## FERAL BLOC GRADUATED LINE WIRE SPACINGS

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300581	11 / 90 / 15	Wild Dogs, Pigs, Wallabies	100 m	75 kg	9 rolls
300580	11 / 90 / 15 w/footer	Wild Dogs, Pigs, Wallabies	100 m	95 kg	9 rolls
301500	11 / 90 / 15	Wild Dogs, Pigs, Wallabies	250m	188 kg	4 rolls
301510	11 / 90 / 15 w/footer	Wild Dogs, Pigs, Wallabies	250m	237 kg	4 rolls
300583	13 / 90 / 15	Wild Dogs, Pigs, Wallabies	100 m	85 kg	9 rolls
300584	13 / 90 / 15 w/footer	Wild Dogs, Pigs, Wallabies	100 m	106 kg	9 rolls
301530	13 / 90 / 15	Wild Dogs, Pigs, Wallabies	250m	212 kg	4 rolls
301545	13 / 90 / 15 w/footer	Wild Dogs, Pigs, Wallabies	250m	268 kg	4 rolls
300587	13 / 115 / 15	Wild Dogs, Pigs, Wallabies	100m	91 kg	9 rolls
300588	13 / 115 / 15 w/ footer	Wild Dogs, Pigs, Wallabies	100m	113 kg	9 rolls
301555	13 / 115 / 15	Wild Dogs, Pigs, Wallabies	250m	227 kg	4 rolls
301560	13 / 115 / 15 w/footer	Wild Dogs, Pigs, Wallabies	250m	282 kg	4 rolls
300590	15 / 150 / 15	Wild Dogs, Pigs, Wallabies	100 m	109 kg	9 rolls
300591	15 / 150 / 15 w/ footer	Wild Dogs, Pigs, Wallabies	100 m	130 kg	9 rolls
301575	15 / 150 / 15	Wild Dogs, Pigs, Wallabies	250m	272 kg	4 rolls
301580	15 / 150 / 15 w/ footer	Wild Dogs, Pigs, Wallabies	250m	326 kg	4 rolls

## FERAL BLOC CONSTANT MESH SPACINGS (100 x 150mm Spacings)

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300585	13 / 122 / 15	Wild Dogs, Pigs	80 m	70 kg	9 rolls
300593	16 / 150 / 15	Wild Dogs, Pigs, Kangaroos	70 m	78 kg	9 rolls
300595	19 / 183 / 15	Kangaroos	60 m	87 kg	9 rolls

Size Description Example: 11/90/15

### SIZE DESCRIPTION EXAMPLE

11 / 90 / 15 = 11 horizontal (line) wires,  
90cm fence height  
15cm vertical (picket) wire spaces


Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.

**PROUDLY 100% AUSTRALIAN OWNED & MANUFACTURED**





## MAX-LOC FIELD FENCE LINE WIRE SPACINGS


**MAX-LOC**  
FIELD FENCE




**HORSE FENCE - 13/122/5**  
Constant Line Wire Spacings  
Purpose: *Horses*




**FERAL BLOC - 15/150/15**  
Graduated Line Wire Spacings  
Purpose: *Wild Dogs, Pigs, Kangaroos*



**FERAL BLOC - 11/90/15**  
Graduated Line Wire Spacings  
Purpose: *Wild Dogs, Pigs, Wallabies*



**FERAL BLOC - 13/90/15**  
Graduated Line Wire Spacings  
Purpose: *Wild Dogs, Pigs, Wallabies*




Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.



# HINGED JOINT FIELD FENCE TRADITIONAL

Hinged Joint fencing is the most popular pre-fabricated fence used globally. The Hinged Joint allows the necessary flexibility to move without breaking wires when pressure is placed on the fence by stock.

*All wires are heavily galvanised for extended life.*



## HINGED JOINT FIELD FENCE - TRADITIONAL

All line wires are high tensile 2.50mm wires, and all vertical wires are soft 2.50mm.

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300405	5 / 67 / 30	Sheep	200 m	60 kg	9 rolls
300410	6 / 70 / 30	Sheep, Lamb	200 m	71 kg	9 rolls
300415	6 / 90 / 30	Cattle	200 m	74 kg	9 rolls
300420	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	200 m	85 kg	9 rolls
300445	8 / 90 / 30	Boundary, All Stock	200 m	93 kg	9 rolls
300430	8 / 115 / 30	Sheep, Cattle, Goats	200 m	103 kg	9 rolls
300435	8 / 80 / 15	Sheep, Cattle, Goats, Pigs	100 m	61 kg	9 rolls
300440	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	100 m	64 kg	9 rolls
300442	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	200 m	128 kg	4 rolls
300425	8 / 115 / 15	Sheep, Cattle, Goats, Pigs, Dogs	100 m	70 kg	9 rolls
300401	11 / 142 / 15	All Stock	100 m	96 kg	9 rolls

### SIZE DESCRIPTION EXAMPLE

7 / 90 / 30 = 7 horizontal (line) wires,  
90cm fence height  
30cm vertical (picket) wire spaces



# HINGED JOINT FIELD FENCE PREMIUM



Hinged Joint fencing is the most popular pre-fabricated fence used globally.

The Hinged Joint allows the necessary flexibility to move without breaking wires when pressure is placed on the fence by stock.

**All wires are heavily galvanised for extended life.**

## HINGED JOINT FIELD FENCE - PREMIUM

This range has the same features as traditional Hinged Joint but has the additional strength of 2.80mm top and bottom line wires, saving the need for top and bottom selvedge wires.

CODE	SIZE	PURPOSE	LENGTH	KG / ROLL	ROLLS / PALLET
300505	6 / 70 / 30	Sheep, Lamb	200 m	73 kg	9 rolls
300510	6 / 90 / 30	Cattle	200 m	76 kg	9 rolls
300515	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	200 m	87 kg	9 rolls
300520	7 / 90 / 30	Sheep, Cattle, All Stock, Mixed Grazing	500 m	217 kg	4 rolls
300540	8 / 90 / 30	Boundary, All Stock	200 m	95 kg	9 rolls
300542	8 / 90 / 30	Boundary, All Stock	500 m	237 kg	4 rolls
300535	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	100 m	66 kg	9 rolls
300537	8 / 90 / 15	Sheep, Cattle, Goats, Pigs	200m	133 kg	4 rolls

### SIZE DESCRIPTION EXAMPLE

7 / 90 / 30 = 7 horizontal (line) wires,  
90cm fence height  
30cm vertical (picket) wire spaces

Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.



## WIRE NETTING


GalMAX Fencing Wire Netting is the answer to unwanted vermin and animals entering your farm, and has the following quality features:

- Reverse twist knot
- Double selvedge wires
- Consistent width throughout roll

*All 1.4mm wires heavily galvanised for extended life.*

### WIRE NETTING

CODE	SIZE	ROLL LENGTH	KG / ROLL	GAL. COATING	ROLLS / PALLET
300630	30 / 4 / 1.4	100 m	28 kg	Heavy	18 rolls
300635	60 / 4 / 1.4	100 m	54 kg	Heavy	9 rolls
300650	90 / 4 / 1.4	100 m	81 kg	Heavy	9 rolls
300605	105 / 4 / 1.4	100 m	93 kg	Heavy	9 rolls
300640	90 / 4 / 1.4	50 m	40 kg	Heavy	16 rolls
300601	105 / 4 / 1.4	50 m	47 kg	Heavy	16 rolls
300665	120 / 4 / 1.4	50 m	50 kg	Heavy	16 rolls
300620	180 / 4 / 1.4	50 m	73 kg	Heavy	7 rolls



#### SIZE DESCRIPTION EXAMPLE

60 / 4 / 1.4 = 60cm fence height  
4cm hole size  
1.4mm wire diameter

Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.




## BARBED WIRE



GalMAX Fencing Barbed Wire comes with the quality assurance of being manufactured in Australia.

GalMAX Fencing Barbed Wire is available in High Tensile 1.57mm, 1.80mm and 2.00mm wire diameter, and Iowa 2.50mm wire diameter and is supplied on hardwood spools for easy unwinding.

*All wires are heavily galvanised for extended life.*



### BARBED WIRE

CODE	TYPE	WIRE DIA.	ROLL LENGTH	GAL. COATING	KG / ROLL	TENSILE	BARB SPACING	REELS / PALLET
300101	High Tensile	1.57 mm	500 m	Heavy	24 kg	High	100 mm	48
300105	High Tensile	1.80 mm	500 m	Heavy	30 kg	High	100 mm	36
300107	High Tensile	2.00 mm	500 m	Heavy	38 kg	High	100 mm	36
300110	IOWA	2.50 mm	400 m	Heavy	47 kg	Soft	100 mm	27



IOWA



HIGH TENSILE - 1.80mm



HIGH TENSILE - 1.57mm

Austral Wire products are made to Australian Standards AS 24 23-2002 and zinc coated to AS/NZS 4534-2006.



## FENCING WIRE & TRELLIS WIRE

GalMAX Fencing offers a complete range of heavily galvanised Fence & Trellis Wires for the Australian farmer. GalMAX Fencing Fence & Trellis Wire is coiled in Australia on world class machinery to suit Australian wire spinners and is guaranteed to give trouble free pay off.

**All wires are heavily galvanised for extended life.**



### FENCING WIRE

CODE	WIRE DIA.	ROLL LENGTH	KG / ROLL	GAL. COATING	TENSILE	RECOMMENDED TENSION	COILS / BUNDLE
300235	4.00 mm	500 m	49 kg	Heavy	Soft	1.8 kN	10
300230	3.15 mm	750 m	48 kg	Heavy	Soft	1.2 kN	10
300225	2.80 mm	1000 m	48 kg	Heavy	High	2.0 kN	10
300220	2.50 mm	1500 m	58 kg	Heavy	Soft	1.0 kN	10
300215	2.50 mm	1500 m	58 kg	Heavy	Medium	1.3 kN	10
300210	2.50 mm	1500 m	58 kg	Heavy	High	1.8 kN	10
300205	2.00 mm	2000 m	52 kg	Heavy	Soft	-	10
300201	1.60 mm	3000 m	46 kg	Heavy	High	-	10
300335	5.20 mm	400 m	43 kg	White PVC	-	-	5

### TRELLIS WIRE

CODE	WIRE DIA.	ROLL LENGTH	KG / ROLL	GAL. COATING	TENSILE	RECOMMENDED TENSION	COILS / BUNDLE
300901	2.00 mm	2000 m	49 kg	Heavy	High	1.0 kN	10
300905	2.65 mm	1000 m	43 kg	Heavy	High	2.0 kN	10
300910	2.85 mm	1000 m	50 kg	Heavy	High	2.2 kN	10
300915	3.15 mm	1000 m	61 kg	Heavy	High	3.1 kN	10





# **GalMAX**

**FENCING**

**MORE GAL - MORE LIFE!**

**Phone 1300 384 981**

**Admin:** (02) 9756 6300

**Fax:** 1300 384 985

**Website:** [www.galmax.com.au](http://www.galmax.com.au)

**Factory:** 15 Oatley Close, Blacktown NSW 2148

**Postal:** PO Box 6709, Wetherill Park NSW 2164

**Email:** [sales@galmax.com.au](mailto:sales@galmax.com.au)

Disclaimer: This product range is suitable for most fencing applications. If the products are exposed to strong chemicals, pollutants & or corrosive sources, the performance may be adversely affected. As fencing products are installed in widely varying situations, diligence must be used to ensure that what is selected is adequate for the purpose. We do not accept liability for loss, damage or consequences for claims based on using this fencing brochure. ABN 50 074 508 213: GalMAX, GalMAX FENCING, and the GalMAX logo. Printed March 2017. E&OE.



**Manufactured by**  
**Austral Wire Products**  
 Sydney, Australia A.B.N. 50 074 508 213